

Bringing Science to Your Pets life....



Bringing Science to Your Poultry....

POULTRY NUTRITIONAL SUPPLEMENT PRODUCT CATALOGUE



Prepared & Presented By:

iUMENTAS Life Science[®]

Head Office: B-25, Jayasree Park, Behala, Kolkata 700034, West Bengal
Customer Care: 8240878976, Website: iumentaslifescience.in



EGG PRODUCTION

MULTIMIN Forte

POULTRY MINERAL PREMIX

Chelated Minerals with Gut Probiotics



LAYER BIRDS

Improves Egg Production

Perfect balance of chelated minerals improves egg productions

Stimulates Ovaries & Improved Fertility

Selenium, Copper, Cobalt, Zinc etc essential minerals improves ovary function that helps in improved hatchability and fertility

Improves Egg Quality

Increase average weight of egg, strong shells and yolk pigmentation



BROILER & BREEDER BIRDS

Improves Body Weight

Rapidly increase growth and weight of birds

Improves Flock Production

Ensures flock uniformity and reduce cannibalism

Necessary Calcification

Improves calcium deficiencies, shaky legs, strong bones, beak formation

Normal Gut Activities

Probiotic maintain normal intestinal flora and normal gut activity & improves FCR



COMPOSITION/kg:

Calcium - 480 gm, Phosphorus - 230 gm, Magnesium - 30 gm, Manganese - 90 gm, Iron - 90 gm, Iodine - 15 gm, Copper - 20 gm, Chlorine - 2 gm, Zinc - 90 gm, Cobalt - 2 gm, Selenium - 1 gm, Potassium - 10 gm, Probiotics - 3 gm (11 x 10⁹cfu/gm), Yeast - 3 gm (6 x 10⁷ cfu/gm)

DOSAGE:

Layers (Regular Dose) : 1-2 % of total feed

Layers (During Laying Period) : 2-3% of total feed

Broilers : 0.8-1% of total feed

Breeders: 1-1.5% of total feed

(Or) as advised by the veterinarian

PRESENTATION:

500 gm, 1 kg, 3 kg, 5 kg, 25 kg

EVEE

Vitamin E with Selenium



BENEFITS:

- Improves egg production
- For better hatchability and fertility
- Better nutrient synthesis
- Perfects metabolism
- Reduce vitamin e deficiency syndromes like encephalomalacia, exudative diasthesis & muscular dystrophy

DOSE:

Chicks and Broiler Starters: 20 ml per 100 birds
Growers, Layers and Broiler Finishers: 25-30 ml per 100 birds
Breeders: 25-30 ml per 100 birds
(or) as advised by the veterinarian

COMPOSITION

(Each ltr contains):

Vitamin E: 17000 mg

Selenium: 2000 mg

PRESENTATION:

100 ml, 500 ml

CHICK GROWTH PROMOTERS

START UP

A BLEND OF NUTRITION WITH MINERALS AND AMINO ACIDS

10 FOR FIRST DAYS



Reduce mortality



Prevents malnutrition



Works in supportive therapy like moulting, anorexia, fatty liver, early chick mortality etc



Start a healthy growth from early days



Essential salts reduce stress and provide relief after transportation



Vitamins like Riboflavin and Thiamine improves enzymatic activities and cellular activities

DOSAGE:

Broiler: 2 ml/ltr of drinking water - 10 days

Layer: 4 ml/ ltr of drinking water - 10 days

Breeder: 5 ml/ltr of drinking water - 10 days (Or) as advised by the veterinarian

PRESENTATION:

50 ml, 100 ml, 200 ml, 500 ml

COMPOSITION:

Manganese, Magnesium, Calcium, Zinc, Phosphorus, Iron, Sodium, Potassium, Protein hydrolysate, Yeast extract, L-lysine, Methionine, Niacinamide, Riboflavin, Thiamine, Cholecalciferol, Ascorbic acid, Dextrose.

Protein hydrolysate contains 18 essential amino acids.



GROWTH PROMOTERS

GROWFAST

PROTEIN GROWTH PROMOTER
With Added Vitamins and Amino Acids



For Rapid Growth

Amino acid improves weight

Covers Minerals & Vitamin Deficiencies



Improves FCR

D,L-Methionine improves feed consumption and removes anorexia

Improves Cellular Activities

Essential amino acids and several vitamins improves enzymatic activities and metabolism rate

DOSAGE:

Broiler: 7-10 ml for every 100 birds

Growers: 5-7 ml for every 100 birds

Layers & Breeders: 9-12 ml for every 100 birds (Or) as advised by the veterinarian

PRESENTATION:

100 ml, 250 ml, 500 ml, 1 ltr

COMPOSITION:

Iron 3.5 g, Manganese 0.3 g, Magnesium 50 mg, Copper 30 mg, Calcium 0.45 g, Zinc 0.04 g, Phosphorus 0.012 g Essential Elements: Yeast Extract 250 mg, Protein Hydrolysate# 1000 mg, Peptides 50 mg, D,L-Methionine 15 mg Protein hydrolysate contains 18 essential amino acids.



PERFORMANCE BOOSTER

PROTOMIN

A BLEND OF MINERALS
AND AMINO ACIDS



COVER NUTRIENT
DEFICIENCY OF FEED

IMPROVES WEIGHT,
SIZE & FERTILITY

BOOSTS OVERALL
PERFORMANCE

BETTER FEED INTAKE
FOR BETTER FCR

COMPOSITION/500 ml

Methionine - 2.5 g
Lysine Hydrochloride - 25 g
Yeast Extract - 24 g
Liver Extract - 15 g
Sodium - 0.7 g
Phosphorus - 0.2 g
Manganese - 0.6 g
Zinc - 0.3 g
Iron - 0.4 g
Copper - 0.1 g
Cobalt - 0.2 g
Manganese - 0.6 g
Protein concentrate - 11 g
Niacinamide - 5 g

DOSAGE:

Layers: 10-12 ml per 100 birds
Broilers: 8-10 ml per 100 birds
Or, as advised by the veterinarian

PRESENTATION:

100 ml, 250 ml, 500 ml

ELECTROLYTES & STRESS RELIEVER

CONCENTRATE OF ORAL ELECTROLYTE SALTS

VETLYTE-C

Powder & Liquid



PROVIDE INSTANT ENERGY



PROVIDE RELIEF FROM
HEAT STRESS AND REDUCE
DEHYDRATION



VITAMIN C
(ANTI-OXIDANTS)



SUPPLY
ESSENTIAL IONS
LIKE Na⁺, K⁺, Mg⁺
etc



EFFECTIVE AGAINST
DIARRHOEA LIKE SYNDROMES &
GI TRACT PROBLEMS



REDUCE
TRANSPORTATION
STRESS

COMPOSITION:

Sodium Chloride, Sodium Citrate, Potassium Chloride, Vitamin C, Sodium Bicarbonate, Calcium Lactate, Sodium Acid Phosphate, Magnesium Sulfate, Maltodextrine, Dextrose base

DOSE:

LIQUID

Chicks: 10-15 ml/100 birds
Broilers/Breeders: 20-25 ml/100 birds

POWDER

Add 40-50 gm with 10 ltr of water or add 20 gm with 10 kg of feed
(Or) as advised by the veterinarian

BENEFITS:

- Provide instant energy
- Reduce dehydration
- Supply essential ions and salts
- Reduce stress
- Anti-diarrhoeal and provide support during vomiting
- Vitamin C reduce inflammation
- Provide health support during and after transportation

PACK:

LIQUID: 100 ml, 250 ml, 500 ml, 1 ltr, 5 ltr
POWDER: 50 gm, 200 gm, 500 gm, 1 kg

LIVER CARE & ENZYME PRODUCTS (To mix in feed/water)

PREMIUM HEPATO-PANCREATIC STIMULANT FOR BETTER LIVER FUNCTIONING AND SUPPORT

BILITON



- ✔ Improves Liver Functioning & Digestion
- ✔ Cure Hepato-Pancreatic Complications like - Fatty liver syndromes, Aflatoxicosis etc
- ✔ Improves bile & other digestive juice secretion
- ✔ Improves FCR
- ✔ Detox a wide range of algal & fungal toxins from liver

COMPOSITION/25 ml:
Tricholine Citrate - 100 mg, D,L-Methionine - 30 mg, Yeast Extract - 0.5 gm, Liver extract - 0.8 gm, Niacinamide (As Vit B3) - 25 mg

DOSE:
Chicks / Starters: 15-20 ml per 100 birds (from 2nd week)
Broilers / Finishers / Layers: 20-30 ml twice daily per 100 birds (Or) as advised by the veterinarian

PRESENTATION:
100 ml, 200 ml, 450 ml, 5 ltr

Liver Friendly Feed Supplement with Iron and Vitamins

LIPOFER



COMPOSITION/30 ml

| | |
|-------------------------|--------|
| Calcium Gluconate | 300 mg |
| Ferric Ammonium Citrate | 120 mg |
| Liver Extract | 120 mg |
| Yeast Extract | 25 mg |
| Nicotinamide | 30 mg |
| Riboflavine | 5 mg |
| Thiamine | 5 mg |
| Choline chloride | 12 mg |

DIRECTION OF USE

Chicks / Starters: 10 ml twice per 100 birds
Broilers/Layers: 25-30 ml twice daily per 100 birds
Or apply as per the veterinarian.

INDICATIONS

1. Eliminate calcium deficiencies
2. Improves appetite and digestibility
3. Improves iron absorption in liver
4. Recover vitamin deficiencies
5. Improves weight and blood circulation


PRESENTATION

100 ml, 250 ml, 500 ml, 1 ltr, 5 ltr

POWDER ENZYMES

BLEND OF DIGESTIVE ENZYMES

FEED-N-ZYME Powder



- » Improves digestion
- » Control ruminal activity
- » Improves appetite
- » Control gut pH
- » Release toxic gases

COMPOSITION:

Lipase, Amylase, Papain, Amla Extract, Ajwain Extract, Haritaki Extract, Ginger Extract, Cardamom, L-lysine

DOSE:

Chicks and Growers: 10 grams per 100 birds
Layer & Breeder: 20g per 100 birds
Broilers: 25-30 g per 100 birds (or) as advised by a veterinarian

PRESENTATION:
200 gm, 500 gm, 1 kg

LIQUID ENZYMES

DIGESTIVE ENZYMES WITH CARMINATIVES

ZYMED VET



COMPOSITION/20 ml

| | |
|------------------|-----------|
| Diastase | - 100 mg |
| Papain | - 20 mg |
| Amylase | - 10 mcg |
| Ajwail oil | - 0.04 ml |
| Ticture cardamom | - 0.2 ml |
| Nux. Vom | - 0.04 ml |
| L-Lysine | 25 mg |

PRESENTATION

100 ml, 250 ml, 1 ltr, 2 ltr, 5 ltr


INDICATIONS


1. Improves digestive power
2. Helps to optimum ruminal activity
3. Release any toxic gases
4. Control bowel movement
5. Anti-flatulent
6. Improve metabolic activities

DIRECTION OF USE


Chicks / Starters: 10-15 ml per 100 birds
Broilers / Finishers / Layers: 20-30 ml per 100 birds
Or apply as per the veterinarian.

VITAMIN


| PRODUCT | COMPOSITION | BENEFITS | DOSAGE | PACKS |
|---|---|---|---|--|
| VITADEX MULTI VITAMIN FEED SUPPLEMENT  | Each 20 ml Contains Vitamin A - 1,00,000 IU Cholecalciferol - 65,000 IU Tocopherol - 48 mg Vitamin C - 15 mg Vitamin H - 1.5 mg Zinc - 150 mg Thiamine - 1 mg Riboflavin - 0.8 mg Niacin - 1.6 mg Pyridoxine - 18 mg Methylcobalamin- 20 mg | 1. Improves metabolism 2. Makes strong bones 3. Makes strong eye-sight 4. Makes the skin shiny 5. Improves egg quality 6. Helps in post-surgical / post-delivery nutritional spectrum 7. Improves immunity 8. Co-therapy with vaccines | Chicks & Starters: 5-7 ml per 100 birds Broilers/Layer/ Finisher/ Breeders: 12-15 ml per 100 birds (Or) as advised by the veterinarian | 50 ml 100 ml 500 ml 1 ltr |

| PRODUCT | COMPOSITION | BENEFITS | DOSAGE | PACKS |
|--|---|--|---|--|
| TM FORTE VITAMIN A FEED SUPPLEMENT  | Each 5 ml Contains Vitamin A (As Vitamin A Palmited) - 1,00,000 IU Excipients - q.s. | 1. Improves immunity 2. Rough and dry skin 3. Eye related problems like dry eyes, uropygial gland infection etc 4. Helpful against ruffled feather 5. Mouth sores 6. Pale comb 7. Decreased egg production 8. Blood spots and clots in eggs | Chicks / Starters: 5-7 ml per 100 birds Broilers / Finishers / Layers: 12-15 ml per 100 birds Breeders: 12-15 ml per 100 birds (Or) as advised by the veterinarian | 100 ml 500 ml 1 ltr |

IMMUNITY BOOSTER

| PRODUCT | COMPOSITION | BENEFITS | DOSAGE | PACKS |
|---|---|---|---|------------------------------|
| MALTIRON MALT-BASED VITAMIN, CALCIUM, COPPER & IRON SUPPLEMENT  | Each 20 ml Contains Malt extract - 4.5 gm Calcium gluconate - 450 mg Ferric ammonium citrate - 500 g Copper sulphate - 120 mg Cobalt chloride - 1.8 mg Cholecalciferol - 3600 IU Niacinamide - 45 mg Biotin - 70 mcg Cyanocobalam - 10 mcg Zinc - 30 mg Magnesium - 40 mg Glucose (Dextrose) - 20 mg | 1. MALTIRON is an essential feed supplement during and after pregnancy. 2. Remove weakness, provides energy. 3. In poultry: MALTIROL is highly effective for weak birds with shivering legs, shattered feathers, remove stress. 4. MALTIRON lowers molting time and enhance shiny feathers | Chicks: 8-10 gm/100 birds Poultry Growers: 10-15 ml/100 birds Broilers/Breeders: 20-25 ml/100 birds Poultry Broilers: 15-20 gm per 100 birds (Or) as advised by the veterinarian | 450 gm 1 kg |

CALCIUM SUSPENSION

| PRODUCT | COMPOSITION | BENEFITS | DOSAGE | PACKS |
|---|--|---|--|---|
| CalciGold CALCIUM SUSPENSION WITH VITAMINS & PHOSPHORUS  | Each 20 ml Contains Vitamin A - 80,000 IU Calcium - 2,200 mg Phosphorus - 2,800 mg Vitamin D3 - 1,200 IU Vitamin B12 - 40 mcg Zinc - 500 mg | 1. Provide necessary supply of calcium 2. Essential for bone and egg formation 3. Make strong bones & increase weight 4. Makes better nerve impulse 5. Calcium is an important co-factor for many enzymes and hormone activity 6. Strong beaks 7. Better egg production in poultry birds 8. Make feathers more whitish | Chicks / Starters: 15-20 ml per 100 birds Broilers / Finishers / Layers: 20-30 ml per 100 birds (Or) as advised by the veterinarian | 100 ml 250 ml 1 ltr 2 ltr 5 ltr 10 ltr 20 ltr |

DISEASE MANAGEMENT

| PRODUCT | COMPOSITION | BENEFITS | DOSAGE | PACKS |
|---|---|--|--|--|
| FURAZIN-K ANTI-DIARRHOEAL FEED SUPPLEMENT WITH VITAMIN-K  | Each 5 ml Contains Furazolidone - 50 mg Vitamin K - 25 mg | <ol style="list-style-type: none"> 1. Prevents diarrhoea caused by wide range of gram positive and gram negative bacteria, protozoa and fungi. 2. Effective against common poultry pathogens like Salmonella sp. and Escherichia coli. 3. Vitamin K improves blood circulation 4. Improves post trauma metabolism and heart rate. 5. Prevents - white water diarrhoea, diarrhoea with blood or mucus, green diarrhoea | Chicks: 12-15 ml per 100 birds for 3 days Broilers/Breeders: 15-20 ml per 100 birds for 3 days Layers: 20-25 ml per 100 birds for 3 days (Or) as advised by the veterinarian | 50 ml 100 ml 500 ml 1 ltr 5 ltr |
| KP PIPERZINE ANTI-DIARRHOEAL SUPPLEMENT WITH KALMEGH  | Each 5 ml Contains Piperzine citrate - 750 mg Kalmegh - 100 mg | <ol style="list-style-type: none"> 1. KP is a broad spectrum anti-bacterial agent and effectively controls wide range of bacterial infection in poultry caused by Escherichia coli, Vibrio cholerae, and Salmonella sp 2. KP actively control protozoal and helminthic infections in poultry 3. Anti-inflammatory agent 4. Acts as immunostimulant 5. Relieve stress | Chicks: 5-7 ml per 100 birds. Repeat the dose after 15 days Broilers/Layers / Breeders: 10-12 ml per 100 birds. Repeat the dose after 15 days (Or) as advised by the veterinarian | 30 ml 60 ml 100 ml 500 ml |
| CV-10 BROILER ANTI-FUNGAL MANAGEMENT  | Each 50 ml Contains Copper sulphate - 10 gm Vinegar (As Acetic Acid) - 10 gm | <ol style="list-style-type: none"> 1. CV-10 is useful antifungal remedy for prevention of broiler fungal infections. 2. CV-10 is specially recommended before giving any CRD drugs 3. CV-10 is useful against Aspergillosis, Candidiasis and Mycotoxicosis 4. CV-10 reduces diarrhoea and diarrhoea like syndromes caused by fungus and fungal toxins | Broiler/Breeder/Layer: 5-6 ml per 100 birds On the 15th to 18th day Repeat the dose on day 30 to 33 During CRD: 15 -20 ml per 100 birds x 7 days During breeding: 5 ml per 100 birds x 3 -7 days Water Deposition: 12-15 ml per 100 birds with Billiton x 4 days (or) as advised by a veterinarian | 50 ml 100 ml 500 ml 1 ltr 5 ltr |
| DISOL ANTI-INFLAMMATORY ALKALIZER  | Each 5 ml Contains Salts of Di-sodium hydrogen citrate - 1200 mg Vitamin C - 50 mg | <ol style="list-style-type: none"> 1. Prevents gout, nephritis and gout like syndromes 2. Anti-inflammation 3. Urinary Tract Problems and Nephritis 4. Kidney and Bladder Problems 5. Prevents uric acid formation 6. Prevents gout like syndromes 7. Vitamin C reduce inflammations | Chicks: 5-7 ml per 100 birds for 5 days Broilers/Breeders: 15-20 ml per 100 birds for 3 days Layers: 20-25 ml per 100 birds for 3 days (Or) as advised by the veterinarian | 100 ml 250 ml 500 ml |
| AQUA CLEAN POULTRY WATER CLEANSER  | Each 5 ml Contains Didecyl Dimethyl Ammonium Chloride - 7% Citric Acid - 8% Acetic Acid - 2% Inert base materials - q.s. | <ol style="list-style-type: none"> 1. Cleans drinking water from all pathogens 2. Cleans poultry shed from residual pathogens 3. Cleans shed air from floating pathogens 4. Cleans egg and egg-shells 5. Broad spectrum anti-microbial property eliminates anti-biotic resistant micro-organisms 6. Regular use effectively reduce the chances of pathogenic infections and mortality in farms 7. Does not alter the water pH | Drinking Water Cleaning: Add 2-5 ml to 10 ltr of water Farm/shed Cleaning: Add 12-15 ml to 10 ltr of water Egg Cleaning Add 15-20 ml to 10 ltr of water (Or) as advised by the veterinarian | 100 ml 250 ml 500 ml 1 ltr |

Disclaimer: All these products are in the category of animal feed supplement and not to considered as drugs/ medication.